## WASTE RECEIPT # 9605588 SHIPPER ID # 990419-01

GENERATOR Becker Buick-Body Shop MANIFEST # 43267

DRUM #	DESCRIPTION	% OF SOLIDS	% OF SLUDGE	% OF i IQUID	DRUM SIZE	TOTAL GALLONS	PROFILE #	STORAGE
01	Acetone, Tohuene	00	10	90	5.5	55g	10279	TF#4
					-			
				78-7-1				
-			4 1 9	36		- fr		
						.70		
				_				
							-	
1		:					:	
1		ſ					1	
	,							
	1						*	
			-		9 14 1			

DATE 5-6-99

RECEIVERS SIGNATURE MALE

Muke Lucie

	Emergenc	y Contact Telephone	Number				
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US	EPAID No.	Manifest	2. Pag			shaded areas is ederal law.
Generator's Name and Mailing Address	1,9	Backer bick-box	Shop	777777	te Manifest Poeur	nent Nur	nber
0751	0 2	634 First		4.635.76	te Generator's ID	desent	afer utility in
Generator's Phone ( San ) 155-3     Transporter 1 Company Name	590 9	detane was 9	9202	135 10	n waste treatma n	on army	The specializer
CleanCare		6. UŠ EPA ID Numi   .WAD988477147	per		te Transporter's II	400	627-1976
7. Transporter 2 Company Name		8. US EPA ID Numb	per	The second second	te Transporter's ID		027 137
9. Designated Facility Name and Site Address CleanCare Corporation		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			sporter's Phone		
1 1010 Taylor way		WAD980738512	701	11.110097	te Facility's ID	TELEPHONE / ST	mark on the state of
Tacoma WA 98421				H. Fac	ility's Phone	A. contina	See a decrease of the same
11. US DOT Description (Including Proper Shippi	ng Name, Hazard Class	, and ID Number)	12. Co	ntainers	13.	14.	127-1976
X RO, WASTE FLAMMABLE LI	OUTD.		No.	Туре	Total Quantity	Unit Wt/Vol	1 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
a. WASTE FLAMMABLE LI N.O.S., 3,PG II, UN1993,(Acetone, Tolue	ne)			.0		1	05 WT02
			0.0.1	UMK	00.0.55	6	As as
b.	1				A STATE OF THE STA	- 1	
							art with -
c. \( \)							SAMPLE SERVICES
16				1			
d.		1,840					13 14 15 15 15 15 15 15 15 15 15 15 15 15 15
		7	14				500 05
I/A, Patik # 100/19  15. Special Handling Instructions and Additional In	formation	AND DOD DOD			terra espectiva pr	1	de pla
ita. Ose ERG# 120 for Ita, i	or Emergency	1-800-282-8128				1.	
la. Shipper ID# _	17093	and the first of the control of the	Married Strategy of the Strate				
<ol> <li>GENERATOR'S CERTIFICATION: I hereby decl packed, marked, and labeled, and are in all respect</li> </ol>	are that the contents of ts in proper condition for	this consignment are fully and a	accurately desc	cribed abov	e by proper shippi	ng name	and are classifie
If I am a large quantity generator, I certify that I h practicable and that I have selected the practicable and the environment: OR, if I am a small quantity	ave a program in place to	reduce the volume and towisit.	-4				
and the environment; OR, if I am a small quantity available to me and that I can afford.	generator, I have made a	good faith effort to minimize my	waste generat	ion and sel	s the present and f ect the best waste	uture thre managen	at to human hea nent method that
Printed/Typed Name	1- 1	Signature	_	-		Мо	onth Day Ye
77. Transporter 1 Acknowledgement of Receipt of	Materials /	(B) R	T. 00			0	91/919
Printed/Typed Name	10//	Signature		1		Мо	onth, Day Ye
18. Transporter 2 Acknowledgement of Receipt of N	Astorial	I me		Ŷ,		0	1 199
Printed/Typed Name	viateriais	Signature				Mo	nth Day Ye
10. Picereppen Indication Service		David A	Hem	leis		0	4/2:4/9
19. Discrepancy Indication Space			-				
20. Facility Owner or Operator: Certification of rece	ipt of hazardous materi	als covered by this manifest	cont ca a di	in No. 15			
	nes or mazaruous matem	als covered by this manifest ex	cept as noted	In Item 19			
Printed/Typed Name	0	Signature	1	1	6	Mor	nth Day Yea
WINE DECCOV	1 +0700	- Hu	te	1 (1	610	10	50699

T/S/D/F COPY

	omi offyre esigned for Lead of elite (12-prof) (Voowhier)	Lineigenc	y Contact Telepho	ne Number				
*	UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US W.A.D.Y. 8	1.722.0.56	Manifest Mocument Mo	2. F		tion in the uired by F	e shaded areas is ederal law.
	Generator's Name and Mailing Address	7	Barkey Burk-1	Sof Shop	A. 8	State Manifest Dogu	位于"五"。 10.1000 10.0000 10.000 10.000 10.000 10.000 10.000 10.0000 10.0000 10.0000 10.0000 10.0000 10.0000 10.	mber skead k (galogica)
	Generator's Phone ( 569 ) 455-359	0 9	klane WA	99202	1000	state Generator's ID	Despen nother at matter tea	authoris error t to renegative
	Transporter 2 Company Name		6. WAD98847714		D. T	tate Transporter's I ransporter's Phone	2001	627 1076
	Transporter 2 Company Name  Designated Facility Name and Site Address	XXXXXXXXXX	B. US EPA ID I	XXXXXXXXXX	F. Tr	tate Transporter's I	Sec. 3	nd Danner - 1
	Designated Facility Name and Site Address 510 Taylor Way Pacona WA 98421		10. US EPA ID I WAD 98073851		(72)×850	tate Facility's ID	o lõelmiji Milma a	Marit most
	US DOT Description (Including Proper Shipping N	lame Hazard Class	and ID Number		A. P. C. C. C.	acility's Phone	206)	\$27-1976
a.	HM O WASTE FLAMMARIE LIQUI 11.0.3. 3.PG II UN1993 (Acetone, Toluene		, and 10 Number)	12. Coi No.	Type	13. Total Quantity	14. Unit Wt/Vo	I. Waste No.
	Toluene	j ·		0.0.1	Dr	00055	6	05 WT02
G b.								
A C. TOR								en e
d.			7	,			, ,	
Side Side	. Patile # 10079	in arrespective of the second contraction of	all sets and the sets of the s	anich ban orașule Virinte 2 anima e		ni in samples — p p in mensions sa me		
15.	Special Handling Instructions and Additional Inform	ation ergency	1-800-282-81	.28				
16. 0	Shiffer JD # BENERATOR'S CERTIFICATION: I hereby declare the decked, marked, and labeled, and are in all respects in the decked.	hat the contents of t	bis consistence to the					
	f I am a large quantity generator, I certify that I have a	program in place to	reduce the volume and to	xicity of waste gene	rnational rated to	and national govern the degree I have de	mental re etermined	gulations. to be economically
	and the environment; OR, if I am a small quantity gene equilable to me and that I can afford. Printed/Typed Name	rator, I have made a	good faith effort to minimiz	e my waste generati	on and s	select the best waste	manager	nent method that is
17. 1	ransporter 1 Acknowledgement of Receipt of Mater	ials		Teell			Mo	1 / 9 Year
N S P	Printed/Typed Name Mille CHAUE	(	Signature M	e	1,		Mo	nth Day Year
P	ransporter 2 Acknowledgement of Receipt of Materi Printed Typed Name	ials	Signature	Herrol	0 -		Мо	nth Day Year
19. D	iscrepancy Indication Space		auta	Herral	ey		0	12491
	acility Owner or Operator: Certification of receipt of	hazardous materia	ls covered by this manife	st except as noted	n Item 1	9.		
P	rinted/Typed Name	form	Signature	1	4	141	Mor	oth Day Year
	BELLEVICE CONTROL OF THE SECOND STREET, SECOND STRE					11100	U	111 000

RCRA Land Disposal Restriction Notification Form

This form is applicable to characteristic wastes (D codes), listed wastes (F, K, U and P codes), California List wastes, and Hazardous Debris.

Profile #: 10279				J.S. EPA I.I	D. #: WAD 98 1220	56	
Profile #:	1007	9	N	1anifest #:_	0.#: <u>WAD98B20</u> 43267	<u> </u>	
The wastes identified on this form are subject to the land disposal restrictions of 40 CFR Part 268, The wastes do not meet the treatment standards specified in Part 268, Subpart D or do not meet the applicable prohibition levels specified in 268.32 or RCRA Section 3004 (d). Pursuant to 40 CFR 268.7(a), the required information applicable to each waste is identified below (check all boxes that apply):							
	Treatabi	lity Group: er contain less	☐ Wastewater than 1% filterable solids an	d less than 1%	☐ Nonwastewater 6 Total Organic Carbon)		
□ D001 Ignitable (except for High TOC) managed in non-CWA/non-CWA-equivalent/non Class I SDWA systems. (If this box is checked, complete and attach Form UC to address underlying hazardous constituents. Note: The underlying hazardous constituents need not be addressed if the waste is to be							
	sted or recovered.	High TOC) n	nanaged in CWA/CWA-	equivalent/C	lass I SDWA systems		
□ D001	High TOC Ignitable	oreater than	10% total organic carbon	)			
□ D002	Carnaina managad in	non-CWA/	non-CWA equivalent/nor	Class I SD	WA systems		
L D002	(If this box is checked	complete a	nd attach Form UC to ad	dress under	lying hazardous constituents)		
□ D002	Corrosive managed in	CWA/CWA	A-equivalent/Class I SDV	A systems			
□ D003	Reactive Sulfides bas	ed on 261.23	(a)(5)				
□ D003	Reactive Cyanides ba	sed on 261.2	3 (a)(5)				
□ D003	Water Reactives base						
□ D003	Explosives based on 2						
□ D003	Other Reactives based			П рооб	Cadmium-containing batteries		
□ D004	Arsenic D005		☐ D006 Cadmium ☐ D008 Lead acid b		Caumani-containing batteries		
□ D007	Chromium □ D008	Lead			tue and residues from RMERC		
□ D009	High mercury inorganic (>260 mg/kg total), including incineration residue and residues from RMERC High-mercury organic (>260 mg/kg total), not including incinerator residue						
□ D009				astewater's			
□ D009	Low-mercury (,260 m Selenium   D011		L Door All Door w				
□ D010							
If D012-43	boxes are checked, con	nplete and a	tach Form UC to addres	s underlying	hazardous constituents (unless th	iese wastes	
are to be m	anaged in CWA/CWA-	equivalent/C	lass I SDWA systems):				
□ D012	Endrin	□ D023	o-Cresol		Hexachlorobutadiene Hexachlorobutadiene	,	
□ D013	Lindane	□ D024	m-Cresol		Methyl ethyl ketone	1.	
□ D014	Methoxyuchlor	□ D025	p-Cresol		Nitrobenzene		
□ D015	Toxaphene	□ D026	Cresols(Total) p-Dichlorobenzene		Pentachlorophenol		
□ D016	2,4-D	☐ D027 ☐ D028	1,2-Dichloroethane		Pyridine		
□ D017	2,4,5-TP(Silvex)	□ D028	1,1-Dichloroethylene		Tetrachloroethylene	:	
□ D018	Benzene Carbon tetrachloride	□ D030	2,4-Dinitrotoluene		Trichloroethylene		
□ D019	Chlordane	□ D031	Heptachlor	□ D041	2,4,5-Trichlorophenol		
□ D021	Chlorobenzene	□ D032	Hexachlorobenzene	□ D042	2,4,6-Trichlorophenol		
□ D022,	Chloroform			□ D043	Vinyl chloride		
In addition, the following wastes are included in this shipment:							
F001-F005 spent solvents. (If this box is checked, complete the F001-F005 section on the back of this form. Check the hazardous waste number(s) that							
fipplies, and identify the constituents likely to be present in the waste.)  F039 multisource leachate.(If this box is checked, complete and attached Form UC to identify the individual constituents.)  RCRA Section 3004(d) California list wastes. (If this box is checked, complete the California List Section on the back or this form.)							
Hazardous Debris (If this box is checked, complete the Hazardous Debris section on the back of this form)							
If this shipment carries additional waste codes that are non addressed above, identify them here:							
EPA Waste Code Subcategory (if applicable)				aste Code	Subcategory(if applicable)		
					1		

F001-F005 Spent Solvents Check the box(es) that applies: identify the	individual constituents likely i	o be present.
Hazardous waste description	Regulated hazardous con	stituents
☐ F001 Spent halogenated solvents used in degreasing	Carbon tetrachloride Tetrachloroethylene Trichloroethylene Trichloromonofluoromet	Methylene chloride 1,1,1-Trichloroethane 1,1,2-Trichloro 1,2,2-trifluoroethane hane
☐ F002 Spent halogenated solvents	Chlorobenzene Methylene chloride 1,1,1-Trichloroethane Trichloroethylene Trichloromonofluorometl	o-Dichlorobenzene Tetrachloroethylene 1,1,2-Trichloroethane 1,1,2-Trichloro-1,2,2-trifluoroethane
F003 Spent non-halogenated solvents	Acetone Cyclothezanone* Ethyl benzene Methañol* Xylenes(total)	n-Butyl alcohol Ethyl acetate Ethyl ether Methyl isobutyl ketone
☐ F004 Spent non-halogenated solvents	m-Cresol p-Cresol Nitrobenzene	o-Cresol Cresol-mixed isomers(cresylic acid)
F005 Spent non-halogenated solvents	Benzene 2-Ethoxyethanol Methyl ethyl ketone Pyridine	Carbon disulfide* Isobutyl alcohol 2-Nitropropane Toluene?
*The treatment standards for carbon disulfide, cy solvent nonwastewaters containing only one, two when any of the other F001-F005 constituents ar	, or all three of these constituents.	astewaters are based on the TCLP and apply to spent The treatment for these three constituents do not apply
California List Wastes Check applicable boxes; only RCRA-regulated ha List prohibitions do not apply to newly identified	(e.g., D010-D043) of helly hate	
☐ Liquid wastes containing Nickel at >134 mg/	L □ Liquid wastes	containing Thallium at >130 mg/L
☐ Liquid wastes containing PCB at ≥50 ppm	Compounds lis	iquid wastes containing Halogenated Organic ted in 40 CFR 268 Appendix III at ≥1,000mg/kg 000 mg/L (liquids)
each "contaminant subject to treatment." It constituents for each code. Check the box the	o determine these, took up me hat applies.	Per 268.45, hazardous debris must be treated for waste code in 268.40 and list the regulated hazardous
This shipment contains hazardous debris that macroencapsulation or abrasive blasting).		
This shipment contains hazardous debris that ebris). The contaminants subject to treatment for this		treatment standards for the waste(s) containing the
	Contaminants sub	slect to treatment
PA Waste Code Subcategory	Somethinand	

## $RCRA\ Land\ Disposal\ Restriction\ Notification\ Form-UC$

, 1	
Generator: pecker baicle-65	U.S. EPA I.D. #_WAD 9817)20
Profile #:	Manifest #: 4376 7
In accordance with 40 CFR 268.7(a), the underlying hazar 268.2(l), "underlying hazardous constituent" means any c Treatment Standards, except zinc, which can reasonably be hazardous waste, at a concentration above the constituent (attached) for the waste code(s), treatability group, and su be used to identify F039 constituents.	onstituent listed in 268.48, Table UTS-Universal e expected to be present at the point of generation of the specific UTS treatment standard. Refer to Form-EZ
Please check the appropriate box:	
☐ This Shipment includes F039 multisource leachate. The identified on the back page of this form.	he individual constituents likely to be present are
This shipment includes D001 (other than 1/High TOC combusted or recovered), D002, and/or D012-D043 ch CWA/CWA-equivalent/Class I SDWA systems. The unaddressed for this waste.	naracteristic wastes will not be managed in
In order to address underlying constituents waste, please ci	heck the appropriate box:
☐ I have reviewed the UTS list of 268.48, and per 268.7( hazardous constituents reasonably expected to be present in	
I have reviewed the UTS list of 268.48, and per 268.76 constituents are present in this waste. The underlying hof this form.	
The determination of underlying hazardous constituents was	s based on:
Generator's knowledge of waste	
Analysis	
I certify that I personally have examined and am familia through knowledge of the waste to support this certification generator named above, all the information submitted in this knowledge.	. I certify that as an authorized representative of the
R.Tuell R.Tuell	4-19-99
Printed Name Signature	Date

Constituent Acenapthene Acenaphthylene Acelone Acetonitrile Acetophenone 2-Acetylaminofluorene Acrolein Acrylamide Acrylonitrile Aldrin 4-Aminobiphenyl Aniline Anthracene Aramite alpha-BHC beta-BHC delta-IIIIC Benz(a)anthracene Benzal chloride\* Benzene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(g,h,l)perylene Bis(2-chloroethoxy)methane? Bix(2-chloroethyl)ether Bix(2-Chloroisopropyl)ether Dis(2-ethylhexyl)phthalate Bromodichloromethane Bromomethane(methyl bromide) 4-Bromophenyl phenyl ether n-butyl alcohol Butyl benzyl phthalate 2-sec-Butyl-4,6-dinitrophenol (Dinoseb) Carbon disulfide Carbon tetrachloride Chlordane (alpha and gamma isomers) p-Chloroaniline Chlorobenzene Chlorobenzilate 2-Chloro-1.,3-butadiene Chlorodibromomethane Chloroethane Chloroform p-Chloro-m-cresol 2-Chloroethyl vinyl ether\* Chloromethane (methyl chloride) 2-Chloronaphthalene 2-Chlorophenol 3-Chloropropylene

Constituent Chrysene o-Ciesol m-Cresoll p-Cresul Cyclohexanone o.p'-DDD ממט-'קיק o.p'-DDE p.p'-DDE יונונו-'חנס p.p'-DDT Dibenz(a,h)anthracene Dibenzo(a,e)pyrene 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane (ethylene dibromide) Dibromomethane m-Dichlorobenzene o-Dichlorobenzene p-Dichlorobenzene Dichlorodiffuoromethane 1.1-Dichloroethane 1.2-Dichloroethane 1,1-Dichloroethylene trans-1,2-Dichloroethylene 2,4-Dichlorophenol 2,6-Dichlorophenol 2,4-Dichlorophenoxyacetle acid (2,4-1))1,2-Dichloropropane cls-1,3-Dichloropropylene trans-1,3-Dichloropropylene Dieldrin Diethyl phthalate p-Dimethylaminoazaobenzene\* 2,4-Dimethyl phenol Dimethyl phthalate Di-n-butyl phthalate 1,4-Dinitrobenzene 4,6-Dinitro-o-cresol 2.4-Dinitrophenol 2,4-Dinitrotoluene 2,6-Dinitrotolucne Di-n-octyl phthalate Di-n-propylnitrosamine 1,4-Dioxane Diphenylamine Diplienylnitrosamine 1,2-Diphenyl hydrazine Disulfoton Endosulfan 1

Endosulfan II

Constituent Endosulfan sulfate Endrin Endrin aldehyde Lilly acctate Elliyl benzene Ethyl ether Ethyl methacrylate Ethylene oxide Famphur Fluoranthene Fluorene Heptachlor Heptachlor epoxide Hezachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadine Hexachlordibenzo-p-dioxins Hexachlorodibenzofurans Hexachloroethane Hexachloropropylene Indeno(1,2,3-c,d)pyrene lodomethane Isobutyl alcohol Isodrin Isosnírole Kenone Methacrylonitrile Mellianol Methapyrilene Methoxychlor 3-Methylcholanthrene Methylene chloride Methyl ethyl ketone Methyl isobutyl ketone Methyl methacrylate Methyl methansulfonate Methyl parathion Naphthalene 2-Naphthylamine o-Nitroaniline\* p-Nitronniline Nitrobenzene 5-Nitro-o-toluidine o-Nitrophenol p-Nitrophenol N-Nitrosodiethylamine N-Nitrosodimethylamine N-Nitrosodi-n-butylamine N-Niltrosomethylethylamine N-Nitrosomopholine

Constituent N-Nitrosopymolidine Parathion PCBs(total) Pentachlorobenzene Pentchlorodibenzo-p-dixins Pentachlorodibenzofurans l'entachloroethane\* Pentachloronitrobenzene Pentachlorophenol Phenacetin Phenanthrene Phenol Phorate Phthalic acid\* Phthalic anhydride Pronamide Propanenitrile(ethyl cyanide) Pyrene Pyridine Saftole Silvex(2,4,5-TP) 1,2,4,5-Tetrachlorobenzene Tetrachlorodibenzo-p-dioxins Tetrachlorodibenzofurans 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethylene 2,3,4,6-Tetrachlorophenol Toluene Toxapliene Tribromomethane(bromoform) 1,2,4-Trichlorobenzene 4,4-Methylene-bix(2-chloroaniline 1.1.1-Trichloroethane 1,1,2-Trichiloroethane Trichloroethylene Trichloromonofluromethane 2,4,5-Trichloropjhenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenoxyacctic ncid(2,4,5-T) 1,2,3-Trichloropropane 1,2,3-Trichloroprepane 1,1,2-Trichloro-1,2,2-trifluquoethane Tris(2,3-dibromopropyl)plipsphate Viyl chloride Xylenes (lotal) Antimony Arsenic Barlum Berylllum Cadmium Chromlum(total) N-Nitrosopiperidine Cyanide(total) Cyanide(amenable) Mercury(retort residues)\* Mercury (all others)

1.end

Selenlum

Vanadium

Sulfide

Fluoride

Nickel

Silver

Thallium

\*This constituent is not a regulated hazardous constituent in F039

## CleanCare Corp.

Profile Number:



Cert. Date:

1/22/98 1/21/99

5

145

**Review Date:** 

**Material Information Sheet** Mailing Address Generating Site Name: Becker Buick Name: Address: Address: E City: State: State: Zip: Zip: 99202 Phone: Phone: 509-19 Contact: Contact: TreatmentCode: FormCode: B211 WASTE MATERIAL MSDSCode: ProcessCode: M032 WasteName: AnalyticalCode: SPENT PAINT SOLVENTS (CLEANWASH) Generic Profile: SourceCode: A19 WasteProcess: SampleNumber: CLEANING OF PAINTING EQUIPMENT/PAINT CLEAN-UP WASTE CHARACTERISTICS PCBs: NEG PercentSolid: <10% WasteColor: VARIES Cyanides: NEG SpecificGravity: 0.8-1.0 PhysicalState: LIQUID Sulfides: NEG Layers: BI-LAYERED pHRange: 4-10 Phenolics: NEG BTUValue: >12,000 FlashPoint: <73 PPM METALS PPM PPM Nickel: <134 Lead: <5 Arsenic: <5 Thallium: <130 Mercury: <.2 Barium: <100 HexChrome: 0 Seleneum: <1 Cadmium: <1 Silver: <5 Chromium: <5 State: WT02 Designation Code: D F005 WASTE CODES Federal: D001 D035 F003 Comments: Max Min WASTE COMPOSITION 30 60 TOLUENE 20 METHYL ETHYL KETONE 20 METHANOL 20 5 XYLENE 10 PAINT SOLIDS ISOPROPYL ALCOHOL

ShipDOT\_PSN: RQ, WASTE FLAMMABLE LIQUID, N.O.S.

ShipAdditinalDesc: (ACETONE, TOLLIENE)

ShipHazardClass: 3 . "11

ETHYL ACETATE

ACETONE

ShipDOT\_id: UN1993

ShipPackingGroup: II

I hereby certify that as an authorized representative of the generator named above, that the above attached description is complete and accurate to the best of my knowledge and ability to determine, that no deliberate or willful omission of composition or properties exist, and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all materials subject to the contract.

Signature

Title